

Vintex Steel & Engg. Co.

**SUPPLIERS &
EXPORTERS OF
TITANIUM,
STAINLESS STEEL
& OTHER ALLOYS
STEEL PRODUCTS**



Company Profile



VINTEX
GROUP OF COMPANIES

We M/s. Vintex Steel & Engg. Co. established in 1996, has gained immense expertise in supplying & trading of Stainless steel, carbon steel, ferrous metal etc. We are located in Mumbai, Maharashtra and are one of the leading sellers of listed Products. Buy Stainless steel, carbon steel, ferrous metal in bulk from us for the best quality products and service.

Vintex Steel & Engg. Co.

Our Product Range

Pipes & Tubes



Stainless & Duplex Steel

Stainless Steel :

ASTM / ASME SA 312 GR. TP 304 , 304L , 304H, 309S ,309H , 310S, 310H , 316 , 316TI , 316H , 316 LN , 317 , 317L , 321 , 321H , 347 , 347H , 904L.
ASTM / ASME SA 358 CL 1 & CL 3 GR . 304 , 304L , 304H, 309S ,309H , 310S, 310H , 316 , 316H , 321 , 321H , 347 .

Duplex Steel : ASTM / ASME SA 790 UNS NO S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

Carbon & Alloy Steel

Carbon Steel : ASTM / ASME A 53 GR. A , B
ASTM / ASME 106 GR. A , B ,C .
API 5L GR. B , API 5L X 42 , X 46 , X 52 , X 60 , X 70.
ASTM / ASME A 691 GRA , B ,C

Alloy Steel:

ASTM / ASME A 335 GRP , P5, P9,P 11, P12 ,P22 ,P23, P91
ASTM / ASME A 691 GRP1 CR , 1 1/4 CR,2 1/4 CR , 5CR , 9CR , 91.



Nickel & Alloy

Nickel Alloy : ASTM / ASME SB 163 UNS 2200 (NICKEL 200)
ASTM / ASME SB 163 UNS 2201 (NICKEL 201)
ASTM / ASME SB 163 / 165 UNS 4400 (MONEL 400)
ASTM / ASME SB 464 UNS 8020 (ALLOY 20 / 20 CB 3)
ASTM / ASME SB 704/705 UNS 8825 INCONEL (825)
ASTM / ASME SB 167 / 517 UNS 6600 (INCONEL 600)
ASTM / ASME SB 167 UNS 6601 (INCONEL 601)
ASTM / ASME SB 704 /705 UNS 6625 (INCONEL 625)
ASTM / ASME SB 619/622/626 UNS 10276 (HASTELLOY C 276)

www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Round Bar

Hastelloy

Hastelloy Round Bar
Hastelloy Bright Bar
Hastelloy Polish Bar
Hastelloy Black Round Bar
Hastelloy Forged Bar
Hastelloy Forged Round Bar
Hastelloy Hex Bar
Hastelloy Forged Hex Bar
Hastelloy Flat Bar
Hastelloy Rod



Stainless & Duplex Steel

Stainless Steel :

ASTM / ASME SA 276 TP 304 , 304L , 309S , 309H, 310S , 316 , 316L , 316 TI , 317 , 321 , 347 , 410 , 420 , 430 , 431 , 440A , B & C . , 446 ASTM / ASME SA 479 TP 304 , 304L , 304H, 309S , 309H, 310S , 310H , 316 , 316H , 316L , 316 TI , 317 , 321 , 321H , 347 , 347 H , 410 , 430 , 431 & 444.

Duplex Steel :ASTM / ASME SA 276 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.



Carbon & Alloy Steel

Carbon Steel : ASTM / ASME A 105

Alloy Steel : ASTM / ASME A 182 GR F 5, F 9 , F 11 , F 12 , F 22 , F 91. ASTM / ASME A 729 GR B 11 & B 22..

www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Sheets, Plates & Coils:

Nickel Alloy :

ASTM / ASME SB 162 UNS 2200 (NICKEL 200) / UNS 2201 (NICKEL 201)

ASTM / ASME SB 127UNS 4400 (MONEL 400)

ASTM / ASME SB 424 UNS 8825 (INCONEL 825)

ASTM / ASME SB 168UNS 6600 (INCONEL 600) / UNS 6601 (INCONEL 601)

ASTM / ASME SB 443 UNS 6625 (INCONEL 625)

ASTM / ASME SB 574 UNS 10276 (HASTELLOY C 276)

ASTM / ASME SB 462 UNS 8020 (ALLOY 20 / 20 CB 3

Stainless & Duplex Steel

Stainless Steel :

ASTM / ASME SA 240 304 , 304L , 304H, 309S , 309H, 310S , 310H , 316 , 316H .
316L , 316 TI , 317 , 317L , 321 , 321H , 347 , 347 H , 409 , 410 , 410S , 430

Duplex Steel :

ASTM / ASME SA 240 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.



Carbon & Alloy Steel

Carbon Steel :

ASTM / ASME A 516 / 517 GR. 60 / 70 , IS 2062 , IS 2002

Alloy Steel :

ASTM / ASME A 387 GR F 5, F 9 , F 11 , F 12 ,
F 22 , F 91.

www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Fasteners



Stainless & Duplex Steel

Types : Bolts Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts , T- Head Bolts , Wing Screw , Eye Bolt , Eye Bolt, Foundation Bolts, Structural Bolts.

Application :

Stainless steel fasteners can be used in racing industries such as racing motorcycles and cars, sailing boats and medical equipment, etc.

Carbon & Alloy Steel

Types :

Bolts Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts , T- Head Bolts , Wing Screw , Eye Bolt , Eye Bolt, Foundation Bolts, Structural Bolts.

Application :

Stainless steel fasteners can be used in racing industries such as racing motorcycles and cars, sailing boats and medical equipment, etc.

www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Flanges

Stainless & Duplex Steel

Form :

Slip On , Socket Weld , Blind , Lapped ,
Screwed , Weld Neck , Reducing , Spectacle
, Slip On Boss , Plate , Plate Blank , Screwed
Boss.

Stainless Steel :

ASTM / ASME SA 182 F 304 , 304L , 304H,
309H, 310H, 316 , 316H , 316L , 316 LN , 317 ,
317L , 321 , 321H , 347H .

Duplex Steel :

ASTM / ASME SA 182 F 44 , F 45 , F51 , F 53 ,
F 55 , F 60 , F 61.



Carbon & Alloy Steel

Form :

Slip On , Socket Weld , Blind , Lapped , Screwed ,
Weld Neck , Reducing , Spectacle , Slip On Boss ,
Plate , Plate Blank , Screwed Boss

Carbon Steel : ASTM / ASME A 105 , ASTM /
ASME A 350 LF 2 .

Alloy Steel :

ASTM / ASME A 182 GR F 5, F 9 , F 11 , F 12 , F
22 , F 91



www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Forged Fittings


Stainless & Duplex Steel

Form :

Socket Weld Fittings : Elbow 90 Deg , Cross , Tee , Elbow 45 Deg , Coupling , Half Coupling & End Cap.

Stainless Steel : ASTM / ASME SA 182 F 304 , 304L , 304H, 309H, 310H , 316 , 316H , 316L , 316 LN , 317 , 317L , 321 , 321H , 347 , 347 H

Duplex Steel:ASTM / ASME SA 182 F 44 , F 45 , F51 , F 53 , F 55 , F 60 , F 61..



Carbon & Alloy Steel

Form :

Socket Weld Fittings : Elbow 90 Deg , Cross , Tee , Elbow 45 Deg , Coupling , Half Coupling & End Cap.

Carbon Steel:

ASTM / ASME A105.

ASTM / ASME A 350 LF 2 .

Alloy Steel : ASTM / ASME A 182 GR F 5, F 9 , F 11 , F 12 , F 22 , F 91.

www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Buttwelded Pipe Fittings



Stainless & Duplex Steel

Form : Seamless & Welded Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg , Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg , Long Radius & Short Radius Elbow 180 Deg (Return Bend).
Stainless Steel: ASTM / ASME SA 403 GR WP "S" / "W" / "WX" 304 , 304L , 304H, 304N , 304LN , 309, 310H , 316 , 316H , 317 , 317L , 321 , 321H , 347 , 347 H
Duplex Steel: ASTM / ASME SA 815 UNS NO.S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

Carbon & Alloy Steel

Form : Seamless & Welded Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg , Long Radius & Short Radius Elbow 90 Deg , Pipe Cap , Long Radius Bends R = 3 D , 5 D , 6 D , 8 D , 10 D & 20 D In 15 Deg , 30 Deg , 60 Deg & 90 Deg And Drawing Based Butt Weld Fitting (Customised).

Carbon Steel : ASTM / ASME A 234 WPB , WPC
ASTM / ASME A 860 WPHY 42 , WPHY 46 , WPHY 52 , WPH 60 , WPHY 65 & WPHY 70 .

Alloy Steel : ASTM / ASME A 234 WP 1, WP 5, WP 9, WP 11, WP 12, WP 22, WP 23, WP 91




www.vintexsteel.com

vintexsteel@gmail.com

Our Product Range

Angle, Channels, Flat bar



Carbon & Alloy Steel

Carbon Steel :ASTM / ASME A 53 GR. A , B
ASTM / ASME 106 GR. A , B ,C .

API 5L GR. B , API 5L X 42 , X 46 , X 52 , X 60 ,
X 70.

ASTM / ASME A 691 GRA , B ,C

Alloy Steel:

ASTM / ASME A 335 GRP 1 , P 5 , P 9 , P 11 , P
12 , P 22 , P 23 , P 91

ASTM / ASME A 691 GRP1 CR , 1 1/4 CR , 2
1/4 CR , 5 CR , 9CR , 91.


Stainless & Duplex Steel

Stainless Steel :

ASTM / ASME SA 312 GR. TP 304 , 304L , 304H, 309S
, 309H , 310S, 310H , 316 , 316TI , 316H , 316 LN , 317 ,
317L , 321 , 321H , 347 , 347 H , 904L .

ASTM / ASME SA 358 CL 1 & CL 3 GR . 304 , 304L ,
304H, 309S ,309H , 310S, 310H , 316 , 316H , 321 , 321H
, 347 .

Duplex Steel :ASTM / ASME SA 790 UNS NO S 31803
, S 32205 , S 32550 , S 32750 , S 32760. S 32760



www.vintexsteel.com

vintexsteel@gmail.com

Technical Information

Stainless Steel Pipe

MECHANICAL PROPERTIES					
Grade	Tensile	Yield	% Age	Hardness (Max)	-
-	Strength Mpa, (Min)	Strength	Elongation	-	-
-	-	Mpa, (Min)	in 50mm	-	-
-	-	-	gauge length min	BHN	Rb
301	515	205	40	217	95
304	515	205	40	201	92
304L	485	170	40	201	92
310S	515	205	40	217	95
316	515	205	40	217	95
316L	485	170	40	217	95
317	515	205	35	217	95
317L	515	205	40	217	95
321	515	205	40	217	95
347	515	205	40	201	92
409	380	170	20	179	88
409M	430	275	20	187	90
410S	415	205	22	183	89
410	450	205	20	217	89
420	700(max)	-	15	217	95
430	450	205	22	183	89
JSL AUS	515	205	40	217	95
JS- 203	515	205	40	217	95
301M	515	205	40	217	95

Technical Information

WEIGHT & THICKNESS OF S.S GAUGE PIPES

DIMENSION		10 SWG(3. 2 MM)	12 SWG(2. 6 MM)	14 SWG(2. 1 MM)	16 SWG(1. 65 MM)	18 SWG(1. 2 MM)	19 SWG(1. 0 MM)
Size	OD	Weight /MTR	Weight /MTR	Weight /MTR	Weight /MTR	Weight /MTR	Weight /MTR
1/2"	12.7	0.754	0.651	0.552	0.452	0.342	0.290
5/8"	15.875	1.006	0.856	0.718	0.582	0.437	0.369
3/4"	19.05	1.258	1.061	0.883	0.712	0.531	0.448
1"	25.4	1.762	1.470	1.214	0.972	0.720	0.605
1 1/4"	31.75	2.266	1.880	1.544	1.232	0.909	0.763
1 1/2"	38.1	2.770	2.289	1.875	1.492	1.098	0.920
2"	50.8	3.778	3.108	2.537	2.012	1.476	1.235
2 1/2"	63.5	4.786	3.928	3.198	2.531	1.854	1.550
3"	76.2	5.794	4.747	3.860	3.051	2.232	1.865
3 1/2"	88.9	6.802	5.566	4.521	3.571	2.610	2.180
4"	101.6	7.810	6.385	5.183	4.091	2.988	2.495

Contact Us

For General Inquiries:



info@vintexsteel.com



+91 22 2380 8625 / 22 6743 7754

Managing Director: Mr. Ramesh Mehta



vintexsteel@gmail.com



+91 22 6636 2645

International Sales: Mr. Suraj Mehta



sales@vintexsteel.com



+91 9920049176 / 22 2380 8625



Office No.1, 28/30, Dr Wilson Street,
V. P. Road, Mumbai – 400004 (India)